

SAFETY DATA SHEET STAINARC 308L-16

Version No.: 1

Section 1. IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF SUPPLIER

1.1 Product identifier

Trade name : STAINARC 308L-16 Article-no : -

1.2 Other means of identification

1.3 Recommended use of the chemical and restriction on use Use : Electric arc welding

: -

1.4 Details of principal suppliers (including name, address, phone number, etc.)

Supplier	:	Leeden Powerweld Sdn. Bhd.
Street address	:	168, Kawasan Perindustrian Ayer Keroh,
		75450 Melaka
Telephone	:	$+606 - 232\ 3288$
Fax	:	+606 - 232 3200
Email	:	info@power-weld.com
Website	:	www.power-weld.com
		-

1.5 Emergency phone number Emergency phone number : +606 – 232 3288

Section 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance / mixture and any nation or regional information Classification according to Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

2.2 Label elements Pictogram	: Not applicable
Signal word Hazard Statement(s)	Not applicableNot classified
Precautionary Statement(s)	 P261 Avoid breathing fume/gas P280 Wear protective gloves/protective clothing/eye protection/face protection P304 + P340 IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing P337 + P313 If eye irritation persists: Get medical advice/attention P233 + P403 Keep container tightly closed. Store in a well-ventilated place
2.3 Other hazards which do no	ot result in classification or are not covered by the Regulations
	: During welding process : Overexposure to welding fumes can be dangerous to health
	Watch out for splatter, hot metal and slag. It may cause skin burn and cause

fire

Arc rays can injure eyes and burn skin. Electric shock can kill. Avoid touching live electrical parts



Version No.: 1

STAINARC 308L-16

Section 3. COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL

3.1 Substances

This product is a mixture and please refer to Section 3.2

3.2 Mixtures

5.2 Whatures			
Nickel Alloy Core Wire	<u>7440-02-0</u>		
Ingredients	Percentage	CAS No	
Manganese	<3%	7439-96-5	
Carbon	<0.04%	7440-44-0	
Silicone	<1%	7440-21-3	
Potassium	<0.04%	7440-09-7	
Sulphur	<0.3%	7704-34-9	
Copper	<0.05%	7440-50-8	
Chromium	18-21%	7440-47-3	
Molybdenum	0.75%	7439-98-7	
Calcium Carbonate	1-5%	471-34-1	

Section 4. FIRST-AID MEASURES

4.1 Description of first aid measures Inhalation IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur Skin contact IF SKIN BURN. Affected area to be treated by a doctor. Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 4.2 Most important symptoms and effects, acute and delayed

Inhalation : Inhalation of vapour may cause irritation of the respiratory system in susceptible persons.

4.3 Indication of any immediate medical attention and special treatment needed, if necessary

: Not applicable

Section 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media
Suitable extinguishing : Carbon dioxide (CO₂), powder or diffuse jet of water.
In case of major fire: Extinguish fire with diffuse jet of water or foam

5.2 Specific hazards arising from the chemical : Not applicable

5.3 Special protective equipment and precautions for fire-fighters

: Wear self-contained breathing apparatus



STAINARC 308L-16

Version No.: 1

Section 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
: Mechanical ventilation and local exhaust ventilation must be adequate to keep fume concentrations within safe limits. Use respiratory equipment when welding in a confined space. Wear eye and skin protection plus
protective clothing appropriate to welding.
6.2 Environmental precautions
: Try to prevent the material from entering drains or water courses
6.3 Methods and material for containment and cleaning
: Sweep up the floor

Section 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Preventive handling	:	Ensure adequate ventilation for the welder and others. Use respiratory
precautions		equipment when welding in a confined space. Wear eye and skin protection
		plus protective clothing appropriate to welding. Remove all flammable
		materials and liquids before welding
General hygiene	:	Wash hands before breaks.

7.2 Conditions for safe storage, including any incompatibilities

: Store welding consumables inside a room without humidity. Do not store welding consumables directly on the ground. Store away from chemical substances like acids which could cause chemical reactions.

Section 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters		
Welding Fumes (NOC)	:	PEL - 8hr TWA = 5 mg/m^3

8.2 Appropriate engineering controls

- : Mechanical ventilation and local exhaust ventilation must be adequate to keep fume concentrations within safe limits
- 8.3 Individual protection measures, such as personal protective equipment
 - Eye / face protection : Wear welding shield
 - Skin protection : Wear welding glove
 - Respiratory protection : Use respiratory equipment when welding in a confined space, for example N95 Dust Mask or half face respirator with filter

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	:	Rod
Form	:	Metal wire with flux coating
Odour	:	Odourless
Odour threshold	:	Not applicable
pH	:	Not applicable
Melting point / Freezing point	:	>1500 °C
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid gas)	:	Not applicable
Upper / lower flammability or	:	Not applicable
explosive limits		



STAINARC 308L-16

Version No.: 1

Vapour pressure Vapour density Relative density Solubility(ies) Partition coefficient: n-octanol / water Auto-ignition temperature Decomposition temperature Viscosity	: : : :	Not applicable Not applicable Not applicable Immiscible Not applicable Not applicable Not applicable Not applicable
Viscosity Specific Gravity		Not applicable $> 5 \text{ g/cm}^3$

Section 10. STABILITY AND REACTIVITY

10.1 Reactivity		
	:	Not applicable
10.2 Chemical stability		
	:	Stable at normal conditions.
10.3 Possibility of hazardous	rea	ctions
	:	Not applicable
10.4 Conditions to avoid		
	:	None under normal conditions
10.5 Incompatible materials		
	:	Not applicable
10.6 Hazardous decomposition	n p	roducts
	:	Welding fumes and gases

Section 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Conditions to avoid: none in the form supplied

Overexposure to welding fumes can be dangerous to health, can cause dizziness, nausea and irritation to nose, throat or eyes

Acute Toxicity	:	Not classified
Skin Corrosion / Irritation	:	Not classified
Serious Eye Damage or Eye Irritation	:	Not classified
Respiratory Sensitization	:	Not classified
Skin Sensitization	:	Not classified
Germ Cell Mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive Toxicity	:	Not classified
Specific Target Organ Toxicity - Single Exposure	:	Not classified



STAINARC 308L-16

Version No.: 1

Specific Target Organ Toxicity - Repeated Exposure	:	Overexposure to welding fumes can be dangerous to health, can cause dizziness, nausea and irritation to nose, throat or eyes
Aspiration Hazard	:	Not classified

Section 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity	
: The welding pro- directly into the	cess can affect the environment if welding fume is released atmosphere. Residues from welding consumables could imulate into soils and ground water.
12.2 Persistence and degradability	
: Not applicable	
12.3 Bio accumulative potential	
: Not applicable	
12.4 Mobility in Soil	
: Not applicable	
12.5 Other adverse effects	
: Not applicable	

Section 13. DISPOSAL INFORMATION

Disposal Information : Dispose of any product, residue, filter or packing material according to national and local regulations.

Section 14. TRANSPORTATION INFORMATION

14.1 UN number
: Not applicable
14.2 UN proper shipping name
: Not applicable
14.3 Transport hazard class (es)
: Not applicable
14.4 Packing group, if applicable
: Not applicable
14.5 Environmental hazards
: Not applicable
14.6 Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)
: Not applicable
14.7 Special precautions
: Not applicable

Section 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture.

: Classification according to Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013



Version No.: 1

STAINARC 308L-16

Section 16. OTHER INFORMATION

- 16.1 Date of preparation of the SDS : 29 July 2020
- 16.2 Date of revision of the SDS : 29 July 2020
- 16.3 Version : 1
- 16.4 Key literature reference and sources for data used to compile the SDS
 - : MS ISO 4850: 2003: Personal Eye-protectors for Welding & Related Techniques – Filters – Utilisation & Transmittance Requirements
 - : Factories and Machinery Act 1967 (Act 139) Rules and Regulations
 - : Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013
 - : Industry Code Of Practice on Chemicals Classification and Hazard Communication 2014
 - : Occupational Safety and Health (Use and Standard of Exposure of Chemicals Hazardous to Health) Regulations 2000
 - : SDS from Sigma-Aldrich (M) Sdn. Bhd.

16.5 Key / legend to the abbreviations and acronyms used in the SDS

- SDS : Safety Data Sheet
- PEL : Permissible Exposure Limit
- TWA : Time Weighted Average

16.6 Other information deems necessary by a supplier

: The information contained in the Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.